



09/11/770
CofC

THOMPSON & KNIGHT LLP

ATTORNEYS AND COUNSELORS

1700 PACIFIC AVENUE • SUITE 3300
DALLAS, TEXAS 75201-4693
(214) 969-1700
FAX (214) 969-1751
www.tklaw.com

AUSTIN
DALLAS
FORT WORTH
HOUSTON
NEW YORK

ALGIERS
MEXICO CITY
MONTERREY
PARIS
RIO DE JANEIRO

Dial: (214) 969-1749
E-mail: james.murphy@tklaw.com

January 17, 2006

Commissioner for Patents
Attn: Certificate of Corrections Branch
P. O. Box 1450
Alexandria, Virginia 22313-1450

Certificate
JAN 24 2006
of Correction

Re: U. S. Patent No. 6,980,056 B1
Issued: December 27, 2005
Title: **MULTIPLE STAGE ATTENUATOR**
Our File: 021615.500254 [0566-CS-D1]

Sir:

The following errors have been noted in the above-identified patent.

Column 11, Line 25, "PC PEEP" should be -- PC_BEEP -- ;

Column 15, Line 15, "221" should be -- 2²¹ -- ;

Column 15, Line 40, "PR₄" should be -- PR4 --;

Column 15, Line 49, "PR₄" should be -- PR4 --;

Column 15, Line 60, "PR₄" should be -- PR4 --;

Column 18, Line 37, "T₃-T₀" should be -- T3-T0 --;

Column 19, Line 33, after "Codec" insert -- 100. --;

It is believed that these errors are significant and it is requested that a Certificate of Correction be issued.

It is not believed that a fee is required for this Certificate of Correction; however, if the Commissioner requires such, authorization to charge Deposit Account 20-0821 is given.

Very truly yours,

James J. Murphy

Enclosure

JAN 25 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,980,056 B1
DATED : December 27, 2005
INVENTOR(S) : Mark Alexander, Krishnan Subramonium, Golam Chowdhury, Kartika Prihadi
& Bryan Cope

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

Column 11, Line 25, "PC PEEP" should be -- PC_BEEP -- ;

Column 15, Line 15, "221" should be -- 2²¹ -- ;

Column 15, Line 40, "PR₄" should be -- PR4 --;

Column 15, Line 49, "PR₄" should be -- PR4 --;

Column 15, Line 60, "PR₄" should be -- PR4 --;

Column 18, Line 37, "T₃-T₀" should be -- T3-T0 --;

Column 19, Line 33, after "Codec" insert -- 100. --;

MAILING ADDRESS OF SENDER:

James J. Murphy, Thompson & Knight LLP
1700 Pacific Avenue, Suite 3300
Dallas, Texas 75201-4693

PATENT NO. 6,980,056 B1

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 25 2006